





NAICHU EURO MOSAIC

SPANISH TECHNOLOGY / EUROPEAN QUALITY




N1205




IN1205




N1206




N1207




IN1206



IN1207




NM152




N1227




N1M574




NM325



NM135



U1MC9




NM68



NM51



N1044




IN1044




AU1100




IAN1044





These are representative production samples. Universally accepted slight shade variation, which will enhance the beauty of the glass tiles, is inherent in any tiles manufactured.





NAICHU EURO MOSAICS

Technical Detail

Caratteristiche Tecniche

	mosalco	EN [EUROPEAN NORM]	ANCI/ASTM Test
Measurements			
Dimension tolerance	✓	EN 98: $\pm 1.2\%$	ASTM C499
Straightness	✓	EN 98: $\pm 0.75\%$	ASTM C499
Rectangularity	✓	EN 98: $\pm 1.0\%$	ASTM C499
Physical properties			
Water absorption	✓	EN 99	ASTM C373
Bending resistance	✓		ASTM C482
Breaking resistance	✓	EN 100: min. 27	ASTM C648
Thermal shock resistance	✓	EN 104: required	ASTM C484
Crazing resistance	✓	EN 105	ASTM C424
Chemical resistance	✓	EN 122: (Mir. Class B)	ASTM C650
Alkali resistance	✓	EN 122	ASTM C650
Frost resistance	✓	EN 202	ASTM C1026
Surface Flatness			
Centre curvature	✓	EN 98: $\pm 1.0\%$	
Warpage	✓	EN 98: $\pm 1.0\%$	
Edge curvature	✓	EN 98: $\pm 1.0\%$	
Slip resistance	✓	DIN 51130 R9	
Colour fading	✓	DIN 51094	

✓ - PASSED / RESISTS



EURO MOSAIC

Spanish technology / European quality

N naichu international s.a.

Shipping Marks on Ctn : "VITREO MOSAICO"

Distributor : Naichu International S A, Dubai

CONTACT :  +97150 6550734  naichumosaics@yahoo.co.uk